



1.2kW SOLAR GENERATOR

PRODUCT SPECIFICATIONS:

Nominal Voltage: 12V

Nominal Capacity: 100AH

Watts: 1200w (1.2kwh)

Discharge Cut-Off: 10.5V

Charge Cut-Off: 14.6V

Charge Current: 100A

Cont. Discharge: 100A

Peak Discharge: 1000A

Impedance: ≤200mΩ

Charge Temperature: 32°F - 113°F

Discharge Temperature: -4°F - 140°F

Charge Method: CC/CV

Life Cycle: 5000

DIMENSIONS & WEIGHT:

Length–32 Inches Width–21 Inches Height–16 Inches Weight – 84 Lbs

FEATURES & BENEFITS:

1. 10X Longer Life

2.60% More Energy

3. Up to 70% Weight Savings

4. Maintenance Free

5. Faster Charging Times

6. Built-In Battery Protection System

7. 100% DOD - Usable Capacity

8. Drop In Replacement

9. Extended Warranty

INCLUDES BUILT IN BATTERY PROTECTION:

1. Over-Charge Protection

2. Over-Discharge Protection

3. Short Circuit Protection

4. Internal Cell Fuse

5. Robust Build With Mosfets

6. Fire Retardant Additive

7. Explosion Proof Stainless Steal Cell Case





POWER ANYWHERE ANY TIME.... Lithium Ion Technologies now offers solar and wind generators!

The LiT® SG1L Solar Generator Includes A 1.2kW Lithium Battery, 5 Solar Panels At 100 watts, Xantrex 2000 watt Pure Sign Wave Inverter, 3.5 amp Charger, 30 amp Charge Controller, USB...All Within A Military Grade Pelican Case.

www.GoLithiumNow.com

(800)-930-0985





1.2kW WIND GENERATOR

PRODUCT SPECIFICATIONS:

Nominal Voltage: 12V

Nominal Capacity: 100AH

Watts: 1200w (1.2kwh)

Discharge Cut-Off: 10.5V

Charge Cut-Off: 14.6V

Charge Current: 100A

Cont. Discharge: 100A

Peak Discharge: 1000A

Impedance: ≤200mΩ

Charge Temperature: 32°F - 113°F

Discharge Temperature: -4°F - 140°F

Charge Method: CC/CV

Life Cycle: 5000

DIMENSIONS & WEIGHT:

Length- 32 Inches Width-21 Inches Height- 16 Inches Weight - 77 Lbs

FEATURES & BENEFITS:

1. 10X Longer Life

2.60% More Energy

3. Up to 70% Weight Savings

4. Maintenance Free

5. Faster Charging Times

6. Built-In Battery Protection System

7. 100% DOD - Usable Capacity

8. Drop In Replacement

9. Extended Warranty

INCLUDES BUILT IN BATTERY PROTECTION:

1. Over-Charge Protection

2. Over-Discharge Protection


3. Short Circuit Protection

4. Internal Cell Fuse

5. Robust Build With Mosfets

6. Fire Retardant Additive

7. Explosion Proof Stainless Steal Cell Case





POWER ANYWHERE ANY TIME.... Lithium Ion Technologies now offers solar and wind generators!

The LiT® WG1L Wind Generator Includes A 1.2kW Lithium Battery, 550 watt Tactical Wind Turbine With Dump Load And Deployable 18' Tower, Xantrex 2000 watt Pure Sign Wave Inverter, 3.5 amp Charger, 30 amp Charge Controller, USB...All Within A Military g Grade Pelican Case.

www.GoLithiumNow.com

(800)-930-0985





1.2kW GENERATOR BOOST KIT

PRODUCT SPECIFICATIONS:

Nominal Voltage: 12V

Nominal Capacity: 100AH

Watts: 1200w (1.2kwh)

Discharge Cut-Off: 10.5V

Charge Cut-Off: 14.6V

Charge Current: 100A

Cont. Discharge: 100A

Peak Discharge: 1000A

Impedance: ≤200mΩ

Charge Temperature: 32°F - 113°F

Discharge Temperature: -4°F - 140°F

Charge Method: CC/CV

Life Cycle: 5000 DIMENSIONS & WEIGHT:

Length–32 Inches Width–21 Inches Height–16 Inches Weight–62 Lbs

FEATURES & BENEFITS:

1. 10X Longer Life

2.60% More Energy

3. Up to 70% Weight Savings

4. Maintenance Free

5. Faster Charging Times

6. Built-In Battery Protection System

7. 100% DOD - Usable Capacity

8. Drop In Replacement

9. Extended Warranty

INCLUDES BUILT IN BATTERY PROTECTION:

1. Over-Charge Protection

2. Over-Discharge Protection

3. Short Circuit Protection

4. Internal Cell Fuse

5. Robust Build With Mosfets

6. Fire Retardant Additive

7. Explosion Proof Stainless Steal Cell Case





POWER ANYWHERE ANY TIME.... Lithium Ion Technologies now offers solar and wind generators!

The LiT® BK1L Generator Booster Kit Includes A 1.2kW Lithium Battery, 5 Solar Panels At 100 watts, And Expansion Cables With Anderson Connectors...All Within A Military Grade Pelican Case.

www.GoLithiumNow.com

(800)-930-0985